



**UPC Code :** 078477561867

**Country Of Origin :** China

## IPL06-10Z

IllumaTech Dimmer Switch for Dimmable LED, Halogen and Incandescent Bulbs

Replace a wall light switch with an IllumaTech dimmer switch. 150W LED, 600W incandescent/halogen, 60Hz, single pole or 3-way installation. Can be installed with or without a neutral wire, use with Decora wallplate or Decora Plus Screwless Wallplate sold separately – White with ivory and light almond faceplates

- **CONVENIENT** – An easy way to create a big impact for a minimal cost and customize the light level in any room, for any occasion and in any home
- **EASY TO INSTALL** – Slim profile for easier installation. Works with existing wiring, no neutral wire required for installation
- **PRACTICAL** – Designed to dim LED bulbs. To find out which LED bulbs pair best, visit our online bulb compatibility tool by clicking the "find an LED bulb" button below
- **CUSTOMIZEABLE** – Adjustable minimum and maximum dimming range for LED bulbs to help eliminate flicker, maximize energy savings, and optimize ambiance
- **VERSATILE** – Control the lights from two locations using the IPL06 in the main location and a 3-way switch (sold separately) in the second location
- **STYLISH** – Easily change the color using IPKIT faceplates available in white, ivory, light almond, gray, black, brown and red

### Technical Information

#### Product Features

**Action :** Standard ON/OFF

**Available Colors :** Ivry-I Wht-W Gry-G Blk-E Brwn-B Light Almond-T, R-Red

**California Title 24 :** Yes

**Color :** White, Ivory, Light Almond

**Color Change Kit :** IPKIT Series

**Light :** None

**Load Rating :** 600W Incandescent, 150W LED and CFL

**Load Type :** Incandescent, Dimmable LED, Dimmable CFL

**NEMA SSL 7A :** Yes

**Ordering Notes :** Incl White, Ivory and Light Almond Color Kit

**Preset :** Preset

**Protection** : Radio/TV Filter

**Standards and Certifications**

: UL/CSA

**Style Name** : IllumaTech

**Switch Type** : Single-Pole & 3-Way

**Type** : Slide

**Voltage** : 120 VAC

**Wallplate** : Order Separately

**Warranty** : 5-Year Limited

**Features and Benefits**

- Integrated linear full-range slide control for easy, precise operation
- Separate On/Off switch, to preserve set light level when turned off
- Slim, compact housing fits easily into a standard wall box
- Works with existing wiring, no neutral wire required for installation
- Designed to dim LED bulbs. To find out which LED bulbs pair best, visit our online bulb compatibility tool
- Adjustable minimum and maximum dimming range for LED bulbs to help eliminate flicker, maximize energy savings, and optimize ambiance
- Control the lights from two locations using the IPL06 in the main location and a 3-way switch (sold separately) in the second location
- Easily change the color using IPKIT faceplates available in white, ivory, light almond, gray, black, brown and red

**Patents** \*

US11903105

US8664886

This list is provided for patent marking purposes only. A good faith effort is made to maintain the accuracy and completeness of this list. No legal inference should be drawn from the omission of a patent from this list.

**Leviton Manufacturing Co., Inc**

201 North Service Road, Melville, NY 11747

Telephone: +1-800-323-8920 · FAX: +1-800-832-9538 · Tech Line (8:30AM-7:30PM E.S. T. Monday-Friday): +1-800-824-3005

**Leviton Manufacturing of Canada, Ltd.**

165 Hymus Boulevard, Pointe Claire, Quebec H9R 1E9 · Telephone: +1-800-461-2002 · FAX: +1-800-824-3005 ·

**Leviton S. de R.L. de C.V.**

Lago Tana 43, Mexico DF, Mexico CP 11290 · Tel.: (+52)55-5082-1040 · FAX: (+52) 5386- 1797 ·

Visit our Website at: [www.leviton.com](http://www.leviton.com)

© 2025 Leviton Manufacturing Co., Inc. All Rights Reserved. Subject to change without notice.

**Leviton has a global presence.**

If you would like to know where your local Leviton office is located please go to:  
[www.leviton.com/company/about-leviton/locations](http://www.leviton.com/company/about-leviton/locations)

© 2025 Leviton Manufacturing Co., Inc.