Hampton by Hilton - Guestrooms FF&E Specifications - Kinetic



Project Name: Hampton by Hilton - Guestrooms FF&E Specifications Item Number: (B) GR-204

Scheme: Kinetic Item Name: Vanity Light - **REQUIRED**

VENDOR/DESIGN

Issue Date: December 2023 Area Name: Guestroom

Revisions: (Month/Year, Revision #)

Manufacturer: Trinity Lighting Arkansas Lighting Malar Contract Lighting Remington Lighting
Address: 2902 Quality Way 1701 S. 28th Street 5633 Interstate View Dr 5031 Richard Lane

Jonesboro, AR 72401 Van Buren, AR 72956 Morristown, TN 37813 Suite #101

Mechanicsburg, PA 17055

 Phone:
 870.972.1177
 479.474.0876
 423.587.2196
 717.730.1017

 Contact:
 Sonja Hutchison
 Maria Gunter
 Brandon Sawyer
 Terry Goen

E-mail: shutchison@trinitylight mgunter@arkansaslighting.co brandon@malarlighting.c Terry.goen@remingtonlig

<u>ing.com</u> <u>m</u> <u>om</u> <u>hting.com</u>

Web: www.arkansaslighting.com www.malarlighting.com https://remingtonlighting.com

com/

Description: Vanity Light

Dimensions: OA = 36"W x 3"D x 5"H, 12"W x 1.25"D x 5" Rectangular Backplate

Finish: Tiger Drylac - Smooth Matte Black #09/80130

Switch Type: Hardwired 120V

Cord Length: N/A
Cord Color: N/A

Lamp Type: 120V LED Strip - 3000K

Lamp Wattage: 20W Lamp Quantity: 1

UL Listing: UL Damp Listed and Labeled Shade/Diffuser Acrylic Removable Cover

Style:

Shade/Diff. Dims.: 34.75"W X 1.75"D

Suspension Info: NA


Notes: Fixture to be wall-mounted; Refer to prototype drawings for mounting height.

Visible screws shall be countersunk and finished to match metal back plate & end caps.



Instructions:

- All quantities to be verified by hotel operator prior to purchasing.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.





Hampton by Hilton - Guestrooms FF&E Specifications - Kinetic



Project Name: Hampton by Hilton - Guestrooms FF&E Specifications Item Number: (B) GR-204

Scheme: Kinetic Item Name: Vanity Light - **REQUIRED**

VENDOR/DESIGN

Issue Date: December 2023 Area Name: Guestroom

Revisions: (Month/Year, Revision #)

- · All materials and methods of construction must comply with all local fire and life safety codes and Brand Standards.
- Fixture must be U.L. Listed and so labeled. Manufacturer is responsible for submitting all technical specifications for fire safety, UL standards, and any other specifications that are required to comply with local and state fire codes.
- Manufacturer/Fabricator to confirm weight of fixture.
- Manufacturer/Fabricator to verify installation method and hanging points.
- Show all pieces in scaled shop drawings. Entire fixture shall be inspected during the manufacturing and again after final assembly.
- Manufacturer to clearly mark each carton with item ID and specification number.