


Hampton by Hilton - Public Areas FF&E Specifications - Kinetic



Project Name:	Hampton by Hilton - Public Area FF&E Specifications	Item Number:	(B) PA-202
Scheme:	Kinetic	Item Name:	Lobby Sconce
Issue Date:	December 2023	Area Name:	Public Area
Revisions:	09/2024 Δ3		

Manufacturer:	Email Δ3	Phone Δ3
Trinity Lighting	hilton@trinitylighting.com	870-972-1177
Arkansas Lighting	hiltonsupport@arkansaslighting.com	479-474-0876
Malar Lighting	customerservice@malarlighting.com	423-587-2196
Remington Lighting	programquotes@remingtonlighting.com	717-730-1017

Description: Lobby Sconce
Dimensions: 8"W x 4"D x 16-1/2"H
Finish: Exterior: Tiger Drylac – Smooth Matte Black #09/80130
Interior: Tiger Drylac – Smooth/Glossy RAL 9003 Signal White #138/10003
Switch Type: Hardwired
Lamp Type: Integrated LED Panel - 2700K
Lamp Wattage: 7W
Lamp Quantity: 2
UL Listing: UL Dry Listed & Labeled
Shade/Diff. Material: Powder coat metal shade with round matte frosted white acrylic diffusers.
Lens Dims.: 5"Dia
Dimmable: Yes
Mounting Info: Fixture to be wall mounted; Refer to prototype drawings for mounting height & location(s).



Notes: Coordinate locations of fixture's electrical feed with location of J-box and architectural field conditions. Manufacturer to ensure fixture is evenly illuminated with no hot or dark spots.

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication:
Finish Sample, Shop Drawing

Manufacturer to confirm the Product meets Hilton Design and Construction Standards as noted in Section 2515.00

Instructions:

- All quantities to be verified by hotel operator prior to purchasing.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes and Brand Standards.
- Fixture must be U.L. Listed and so labeled. Manufacturer is responsible for submitting all technical specifications for fire safety, UL standards, and any other specifications that are required to comply with local and state fire codes.
- Manufacturer/Fabricator to confirm weight of fixture.
- Manufacturer/Fabricator to verify installation method and hanging points.
- Show all pieces in scaled shop drawings. Entire fixture shall be inspected during the manufacturing and again after final assembly.
- Manufacturer to clearly mark each carton with item ID and specification number.