



 PRODUCT-DETAILS

XT5N 400 TMA 400-4000 3p F F

XT5N 400 TMA 400-4000 3p F F



General Information

Extended Product Type:	XT5N 400 TMA 400-4000 3p F F
Product ID:	1SDA100345R1
EAN:	8056221004220
Catalog Description:	XT5N 400 TMA 400-4000 3p F F
Long Description:	C.BREAKER TMAX XT5N 400 FIXED THREE-POLE WITH FRONT TERMINALS AND THERMOMAGNETIC RELEASE TMA R 400 I3=2000...4000
Display Name:	XT5N 400 TMA 400-4000 3p F F

ABB EcoSolutions

ABB EcoSolutions:	Yes
ABB Site Meeting Group Waste To Landfill Target:	UL 2799 Zero Waste To Landfill Validation available
End Of Life Disassembling Instructions:	9AKK108468A2353
Environmental Product Declaration - EPD:	9AKK108468A9746 9AKK108468A1893
Extended Product Lifetime:	Product Modularity

Recyclability Rate of the Product acc. to EN45555: Design for Closing Resource Loops - Standard EN45555 - 61.4 %

Material Compliance

REACH Declaration:	9AKK108466A1425
RoHS Declaration:	9AKK108466A1424
RoHS Information:	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Conflict Minerals Reporting Template (CMRT):	9AKK108467A5658
Toxic Substances Control Act - TSCA:	9AKK108467A8326
SCIP:	7affa64c-adcd-476f-89ff-6e49b6bca197 Italy

Simplified SCIP:

1e0c266e-3e17-4075-b677-352a54b8e7b0 Denmark
 459d7944-828c-435f-8739-be4619b51bd5 Bulgaria
 8f887146-9a43-4654-be1d-4aa9745270bd Germany
 6d3443c5-f72f-492f-a5ee-749ca0036f0b Poland
 f3ac34f3-524f-43fb-b8a7-5b83c55071ae Belgium
 5c27ca53-2a5c-4488-ae7a-c4a5adc58f45 Belgium
 d04887a7-d5e4-4608-99c6-edba1faca095 Germany
 5948241c-ea53-4631-8000-27b71d77d252 Norway
 5008162f-5739-4631-9cab-89e61e9e5cd0 Finland
 5c27ca53-2a5c-4488-ae7a-c4a5adc58f45 Belgium
 61350103-c802-4335-a4ca-1f61faa02492 Sweden
 d04887a7-d5e4-4608-99c6-edba1faca095 Germany
 262b88de-c3c8-43e5-98ac-c383239d15e3 Czechia
 6d3443c5-f72f-492f-a5ee-749ca0036f0b Poland
 0a9498c7-0d05-469f-abac-3d669e38e78d Poland
 4af56212-2fcb-4335-bacb-069d25dffee8 Germany
 1e0c266e-3e17-4075-b677-352a54b8e7b0 Denmark
 4af56212-2fcb-4335-bacb-069d25dffee8 Germany
 c4243989-3779-41ff-b138-9e4ee984d1bc Poland
 b3290f26-6e62-4d5a-a45e-b18271e9ed25 Portugal
 c2f23de2-c1f9-4731-ad8d-6292f046efcb Greece
 3ffb179-c6e2-4e37-a756-6582ac233bca Hungary
 ccb46602-b602-491f-b888-51c86f1c28d3 Germany
 77e37cfc-7912-4c5f-b389-76182840d593 Croatia
 b3290f26-6e62-4d5a-a45e-b18271e9ed25 Portugal
 b0f9d7e3-b90c-47e1-bced-631c5eca8b0a Germany
 5948241c-ea53-4631-8000-27b71d77d252 Norway
 c2f23de2-c1f9-4731-ad8d-6292f046efcb Greece
 77e37cfc-7912-4c5f-b389-76182840d593 Croatia
 be6b53eb-2e2b-4e54-8553-36748553deb8 France
 8f887146-9a43-4654-be1d-4aa9745270bd Germany
 41b18c5f-2334-497d-ad81-0c5a091b97af Sweden
 9a96a8f9-592b-4ca8-8a1d-2313cbbcb6c5 Netherlands
 5008162f-5739-4631-9cab-89e61e9e5cd0 Finland
 5dd335e0-bb09-4aa5-b997-e85c1d7efde6 Hungary
 6c221fc5-26f1-4ed9-808f-c24bbe4eed04 Spain
 bb2394bb-47a3-497d-acc1-c36b69dfe409 Estonia
 9a96a8f9-592b-4ca8-8a1d-2313cbbcb6c5 Netherlands
 3ffb179-c6e2-4e37-a756-6582ac233bca Hungary
 459d7944-828c-435f-8739-be4619b51bd5 Bulgaria
 262b88de-c3c8-43e5-98ac-c383239d15e3 Czechia
 c4243989-3779-41ff-b138-9e4ee984d1bc Poland
 11a47997-b948-4d73-ab2a-8994d10e93f0 France
 f3ac34f3-524f-43fb-b8a7-5b83c55071ae Belgium
 bb2394bb-47a3-497d-acc1-c36b69dfe409 Estonia
 6c221fc5-26f1-4ed9-808f-c24bbe4eed04 Spain
 5dd335e0-bb09-4aa5-b997-e85c1d7efde6 Hungary
 be6b53eb-2e2b-4e54-8553-36748553deb8 France
 41b18c5f-2334-497d-ad81-0c5a091b97af Sweden
 11a47997-b948-4d73-ab2a-8994d10e93f0 France
 ccb46602-b602-491f-b888-51c86f1c28d3 Germany
 b0f9d7e3-b90c-47e1-bced-631c5eca8b0a Germany
 0a9498c7-0d05-469f-abac-3d669e38e78d Poland
 61350103-c802-4335-a4ca-1f61faa02492 Sweden

Environmental

Environmental Information: 9AKK108467A6707

Ordering

Order Code US and Canada: XT5NE340ABFF000XXX

E-Number (Finland): 3641302

E-Number (Norway):	4380244
EAN:	8056221004220
Minimum Order Quantity:	1 piece
Customs Tariff Number:	85362090

Dimensions

Product Net Width:	140 mm
Product Net Height:	205 mm
Product Net Depth / Length:	103.5 mm
Product Net Weight:	4.775 kg

Container Information

Package Level 1 Units:	box 1 piece
Package Level 1 Width:	250 mm
Package Level 1 Height:	245 mm
Package Level 1 Depth / Length:	285 mm
Package Level 1 Gross Weight:	5.263 kg
Package Level 1 EAN:	8056221004220

Additional Information

Circuit Breaker Type to be Associated:	Power Distribution
Product Main Type:	SACE Tmax XT
Product Name:	Moulded Case Circuit Breaker
Product Type:	Automatic Circuit Breaker
Version:	F
CAD Dimensional Drawing:	1SDH002065A1115 1SDH002065A1131

Technical

Current Type:	AC/DC
Electrical Durability:	7000 cycle 60 cycles per hour
Mechanical Durability:	20000 cycle 120 cycles per hour
Number of Poles:	3P
Order Multiple:	1 piece
Power Loss:	24.1 W
Rated Current (I_n):	400 A
Rated Impulse Withstand Voltage (U_{imp}):	8 kV

Rated Instantaneous Short-Circuit Current 2000...4000 A

Setting (I_i):

Rated Insulation Voltage (U_i):	1000 V
Rated Operational Voltage:	690 V AC 750 V DC
Rated Service Short-Circuit Breaking Capacity (I_{cs}):	(220 V AC) 70 kA (230 V AC) 70 kA (240 V AC) 70 kA (380 V AC) 36 kA (415 V AC) 36 kA (440 V AC) 36 kA (500 V AC) 25 kA (525 V AC) 25 kA (690 V AC) 20 kA (250 V DC) 2 Poles in Series 25 kA (500 V DC) 2 Poles in Series 25 kA
Rated Short-time Withstand Current Low Voltage (I_{cw}):	5 kA
Rated Ultimate Short-Circuit Breaking Capacity (I_{cu}):	(220 V AC) 70 kA (230 V AC) 70 kA (240 V AC) 70 kA (380 V AC) 36 kA (415 V AC) 36 kA (440 V AC) 36 kA (500 V AC) 25 kA (525 V AC) 25 kA (690 V AC) 20 kA (250 V DC) 2 Poles in Series 25 kA (500 V DC) 2 Poles in Series 25 kA
Rated Uninterrupted Current (I_u):	400 A
Release:	TMA
Release Type:	TM
Setting Range:	280...400 A
Short-Circuit Performance Level:	N
Standards:	IEC60947-2
Sub-type:	XT5
Terminal Connection Type:	Front

Certificates and Declarations

Data Sheet, Technical Information:	1SDC210100D0206 1SDC210099D0206
Declaration of Conformity - CE:	9AKK107680A2824
Mechanical Drawings:	1SDH002011A1101
Wiring Diagram:	1SDM000005A1001
Instructions and Manuals:	1SDH002011A1001

External Classifications and Standards

ETIM 9:	EC000228 - Power circuit-breaker for trafo/generator/installation protection
ETIM 10:	EC000228 - Power circuit-breaker for trafo/generator/installation protection
Object Classification Code:	Q

WEEE Category: 5. Small Equipment (No External Dimension More Than 50 cm)

eClass: V11.1 : 27370409

Accessories

Identifier	Description	Type	Qty	Unit Of Measure
1SDA104821R1	AUE XT5-XT6 F/P 2 CONTACTS IN CH x RHx	AUE XT5-XT6 F/P 2 CONTACTS IN CH x RHx	1	piece
1SDA104822R1	AUE XT5-XT6 W 2 CONTACTS IN CH x RHx	AUE XT5-XT6 W 2 CONTACTS IN CH x RHx	1	piece
1SDA104814R1	AUP BOX for FP XT5	AUP BOX for FP XT5	1	piece
1SDA104784R1	AUX-C 1Q + 1SY 400V AC/DC XT5 F/P	AUX-C 1Q + 1SY 400V AC/DC XT5 F/P	1	piece
1SDA104785R1	AUX-C 1Q + 1SY 400V AC/DC XT5 W	AUX-C 1Q + 1SY 400V AC/DC XT5 W	1	piece
1SDA104786R1	AUX-C 1Q + 1SY L 24V DC XT5 F/P	AUX-C 1Q + 1SY L 24V DC XT5 F/P	1	piece
1SDA104787R1	AUX-C 1Q + 1SY L 250V AC/DC XT5 F/P	AUX-C 1Q + 1SY L 250V AC/DC XT5 F/P	1	piece
1SDA104788R1	AUX-C 1Q+1SY 24VDC XT5-XT6 W	AUX-C 1Q+1SY 24VDC XT5-XT6 W	1	piece
1SDA104789R1	AUX-C 1Q+1SY 250V AC/DC XT5-XT6 W	AUX-C 1Q+1SY 250V AC/DC XT5-XT6 W	1	piece
1SDA104790R1	AUX-C 1S51 24Vdc XT5-XT6 W	AUX-C 1S51 24Vdc XT5-XT6 W	1	piece
1SDA104791R1	AUX-C 1S51 250V AC/dC XT5-XT6 W	AUX-C 1S51 250V AC/dC XT5-XT6 W	1	piece
1SDA104792R1	AUX-C 1S52 24Vdc XT5-XT6 W	AUX-C 1S52 24Vdc XT5-XT6 W	1	piece
1SDA104793R1	AUX-C 1S52 250V AC/dC XT5-XT6 W	AUX-C 1S52 250V AC/dC XT5-XT6 W	1	piece
1SDA104794R1	AUX-C 2Q 400V AC/DC XT5 W	AUX-C 2Q 400V AC/DC XT5 W	1	piece
1SDA104795R1	AUX-C 2Q 400V AC/DC XT5 F/P	AUX-C 2Q 400V AC/DC XT5 F/P	1	piece
1SDA104796R1	AUX-C 2Q+1SY 250V AC/CC XT5-XT6 W	AUX-C 2Q+1SY 250V AC/CC XT5-XT6 W	1	piece
1SDA104797R1	AUX-C 3Q+1SY 24VDC XT5-XT6 W	AUX-C 3Q+1SY 24VDC XT5-XT6 W	1	piece
1SDA104798R1	AUX-C 3Q+1SY 250V AC XT5-XT6 W	AUX-C 3Q+1SY 250V AC XT5-XT6 W	1	piece
1SDA104799R1	AUX-C 1S52 24VDC XT5-XT6 F/P	AUX-C 1S52 24VDC XT5-XT6 F/P	1	piece
1SDA104800R1	AUX-C 1S52 250V AC/DC XT5-XT6 F/P	AUX-C 1S52 250V AC/DC XT5-XT6 F/P	1	piece
1SDA104871R1	FLD - XT5 F/P	FLD - XT5 F/P	1	piece
1SDA104872R1	FLD - XT5 W	FLD - XT5 W	1	piece
1SDA105061R1	KLC XT5-XT6 K.L.RONIS SE.O/C1228 xCB	KLC XT5-XT6 K.L.RONIS SE.O/C1228 xCB	1	piece
1SDA105062R1	KLC XT5-XT6 KE.LO. RONIS EQ.A 1228 OPxB	KLC XT5-XT6 KE.LO. RONIS EQ.A 1228 OPxB	1	piece

1SDA105063R1	KLC XT5-XT6 KE.LO. RONIS EQ.B 1228 OPxB	KLC XT5-XT6 KE.LO. RONIS EQ.B 1228 OPxB	1	piece
1SDA105064R1	KLC XT5-XT6 KE.LO. RONIS EQ.C 1228 OPxB	KLC XT5-XT6 KE.LO. RONIS EQ.C 1228 OPxB	1	piece
1SDA105065R1	KLC XT5-XT6 KE.LO. RONIS EQ.D 1228 OPxB	KLC XT5-XT6 KE.LO. RONIS EQ.D 1228 OPxB	1	piece
1SDA105066R1	KLC XT5-XT6 KE.LO. RONIS SE.1228 xCB	KLC XT5-XT6 KE.LO. RONIS SE.1228 xCB	1	piece
1SDA105067R1	KLC-A Key lock open Kirk XT5-XT6	KLC-A Key lock open Kirk XT5-XT6	1	piece
1SDA105068R1	KLC-A Key lock open RONIS 1104 XT5-XT6	KLC-A Key lock open RONIS 1104 XT5-XT6	1	piece
1SDA105069R1	KLC-A Key lock open STI XT5-XT6	KLC-A Key lock open STI XT5-XT6	1	piece
1SDA105109R1	KL-D RONIS FP W XT5-XT6 KEY LO. SEV.1228	KL-D RONIS FP W XT5-XT6 KEY LO. SEV.1228	1	piece
1SDA105112R1	KL-D GIUSSANI FP W XT5- XT6 KEY LO.EQ.	KL-D GIUSSANI FP W XT5- XT6 KEY LO.EQ.	1	piece
1SDA105113R1	KL-S GIUSSANI FP W XT5- XT6 KEY LO.EQ.	KL-S GIUSSANI FP W XT5- XT6 KEY LO.EQ.	1	piece
1SDA105114R1	KL-S RONIS FP W XT5-XT6 KEY LO.EQ.1228 A	KL-S RONIS FP W XT5-XT6 KEY LO.EQ.1228 A	1	piece
1SDA105080R1	RHL XT5-XT6 K.L.RONIS SE.O/C1228 RHx/FLD	RHL XT5-XT6 K.L.RONIS SE.O/C1228 RHx/FLD	1	piece
1SDA105081R1	RHL XT5-XT6 KE.LO. RONIS SE.1228 RHx/FLD	RHL XT5-XT6 KE.LO. RONIS SE.1228 RHx/FLD	1	piece
1SDA105082R1	RHL XT5-XT6K.LO.RONIS EQ.FEL.A1228RHxFLD	RHL XT5-XT6K.LO.RONIS EQ.FEL.A1228RHxFLD	1	piece
1SDA105083R1	RHL XT5-XT6K.LO.RONIS EQ.FEL.B1228RHxFLD	RHL XT5-XT6K.LO.RONIS EQ.FEL.B1228RHxFLD	1	piece
1SDA105084R1	RHL XT5-XT6K.LO.RONIS EQ.FEL.C1228RHxFLD	RHL XT5-XT6K.LO.RONIS EQ.FEL.C1228RHxFLD	1	piece
1SDA105085R1	RHL XT5-XT6K.LO.RONIS EQ.FEL.D1228RHxFLD	RHL XT5-XT6K.LO.RONIS EQ.FEL.D1228RHxFLD	1	piece
1SDA104879R1	MOE XT5 24V DC Auto- Reset	MOE XT5 24V DC Auto- Reset	1	piece
1SDA104881R1	MOE XT5 48...60V DC Auto-Reset	MOE XT5 48...60V DC Auto-Reset	1	piece
1SDA104883R1	MOE XT5 110...125V AC/DC Auto-Reset	MOE XT5 110...125V AC/DC Auto-Reset	1	piece
1SDA104885R1	MOE XT5 220...250V AC/DC Auto-Reset	MOE XT5 220...250V AC/DC Auto-Reset	1	piece
1SDA104887R1	MOE XT5 380V AC Auto- Reset	MOE XT5 380V AC Auto- Reset	1	piece
1SDA104899R1	MOE-E XT5 24V DC	MOE-E XT5 24V DC	1	piece
1SDA104901R1	MOE-E XT5 48...60V DC	MOE-E XT5 48...60V DC	1	piece
1SDA104903R1	MOE-E XT5 110...125V AC/DC	MOE-E XT5 110...125V AC/DC	1	piece
1SDA104905R1	MOE-E XT5 220...250V AC/DC	MOE-E XT5 220...250V AC/DC	1	piece
1SDA104907R1	MOE-E XT5 380V AC	MOE-E XT5 380V AC	1	piece
1SDA104826R1	RHD XT5 F/P STAND. DIRECT	RHD XT5 F/P STAND. DIRECT	1	piece

1SDA104827R1	RHD XT5 F/P STAND. DIRECT + 2 PLL	RHD XT5 F/P STAND. DIRECT + 2 PLL	1	piece
1SDA104828R1	RHD XT5 W STAND. DIRECT	RHD XT5 W STAND. DIRECT	1	piece
1SDA104829R1	RHD XT5 W STAND. DIRECT + 2 PLL	RHD XT5 W STAND. DIRECT + 2 PLL	1	piece
1SDA104830R1	RHD_EM XT5 F/P EMER. DIRECT	RHD_EM XT5 F/P EMER. DIRECT	1	piece
1SDA104831R1	RHD_EM XT5 W EMER. DIRECT	RHD_EM XT5 W EMER. DIRECT	1	piece
1SDA104843R1	RHE XT5 F/P STAND. RETURNED	RHE XT5 F/P STAND. RETURNED	1	piece
1SDA104844R1	RHE XT5 W STAND. RETURNED	RHE XT5 W STAND. RETURNED	1	piece
1SDA104845R1	RHE_B XT5 F/P BASE x RETURNED PAD	RHE_B XT5 F/P BASE x RETURNED PAD	1	piece
1SDA104846R1	RHE_B XT5 F/PBASE R.DIST.ADJ.ROT.HA+2PLL	RHE_B XT5 F/PBASE R.DIST.ADJ.ROT.HA+2PLL	1	piece
1SDA104847R1	RHE_B XT5 W BASE x RETURNED PAD	RHE_B XT5 W BASE x RETURNED PAD	1	piece
1SDA104848R1	RHE_B XT5 WBASE R.DIST.ADJ.ROT.HA+2PLL	RHE_B XT5 WBASE R.DIST.ADJ.ROT.HA+2PLL	1	piece
1SDA104849R1	RHE_EM XT5 F EMER. RETURNED	RHE_EM XT5 F EMER. RETURNED	1	piece
1SDA104850R1	RHE_EM XT5 W EMER. RETURNED	RHE_EM XT5 W EMER. RETURNED	1	piece
1SDA104851R1	RHE_H - XT5 F/P/W	RHE_H - XT5 F/P/W	1	piece
1SDA104852R1	RHE_H_EM - XT5 F/P/W	RHE_H_EM - XT5 F/P/W	1	piece
1SDA117351R1	RHE_B XT5 F/P METAL BASE R.DIS.ADJ.ROT.H	RHE_B XT5 F/P METAL BASE R.DIS.ADJ.ROT.H	1	
1SDA113118R1	RHE_S XT5...XT7 F/W 500MM ROD ROT.HAN	RHE_S XT5...XT7 F/W 500MM ROD ROT.HAN	1	piece
1SDA104870R1	KIT for conversion RHE in RHS XT5	KIT for conversion RHE in RHS XT5	1	piece
1SDA101981R1	UVD XT5-XT6 110..125Va.c./d.c.	UVD XT5-XT6 110..125Va.c./d.c.	1	piece
1SDA101982R1	UVD XT5-XT6 220..250Va.c./d.c.	UVD XT5-XT6 220..250Va.c./d.c.	1	piece
1SDA101983R1	UVD XT5-XT6 24..30Va.c./d.c.	UVD XT5-XT6 24..30Va.c./d.c.	1	piece
1SDA101984R1	UVD XT5-XT6 48..60Va.c./d.c.	UVD XT5-XT6 48..60Va.c./d.c.	1	piece
1SDA104924R1	YO XT5-XT6 12 Vdc	YO XT5-XT6 12 Vdc	1	piece
1SDA104925R1	YO XT5-XT6 24...60 Vac/dc	YO XT5-XT6 24...60 Vac/dc	1	piece
1SDA104926R1	YO XT5-XT6 110..240 Vac - 110..250 Vdc	YO XT5-XT6 110..240 Vac - 110..250 Vdc	1	piece
1SDA104927R1	YO XT5-XT6 380...440 Vac	YO XT5-XT6 380...440 Vac	1	piece
1SDA104928R1	YO-C XT5 W 12 Vdc	YO-C XT5 W 12 Vdc	1	piece
1SDA104929R1	YO-C XT5 W24...60 Vac/dc	YO-C XT5 W24...60 Vac/dc	1	piece
1SDA104930R1	YO-C XT5 W 110..240 Vac - 110..250 Vdc	YO-C XT5 W 110..240 Vac - 110..250 Vdc	1	piece

1SDA104931R1	YO-C XT5 W 380...440 Vac	YO-C XT5 W 380...440 Vac	1	piece
1SDA104932R1	YO-C XT5-XT6 F/P 12 Vdc	YO-C XT5-XT6 F/P 12 Vdc	1	piece
1SDA104933R1	YO-C XT5-XT6 F/P 24...60 Vac/dc	YO-C XT5-XT6 F/P 24...60 Vac/dc	1	piece
1SDA104934R1	YO-C XT5-XT6 F/P 110..240Vac-110..250Vdc	YO-C XT5-XT6 F/P 110..240Vac-110..250Vdc	1	piece
1SDA104935R1	YO-C XT5-XT6 F/P 380...440 Vac	YO-C XT5-XT6 F/P 380...440 Vac	1	piece
1SDA119523R1	YO XT5-XT6 72 Vdc SPEC.VERS.	YO XT5-XT6 72 Vdc SPEC.VERS.	1	piece
1SDA104940R1	YU XT5-XT6 12 Vdc	YU XT5-XT6 12 Vdc	1	piece
1SDA104941R1	YU XT5-XT6 24...30 Vac/dc	YU XT5-XT6 24...30 Vac/dc	1	piece
1SDA104942R1	YU XT5-XT6 48...60 Vac/dc	YU XT5-XT6 48...60 Vac/dc	1	piece
1SDA104943R1	YU XT5-XT6 110..127 Vac - 110..125 Vdc	YU XT5-XT6 110..127 Vac - 110..125 Vdc	1	piece
1SDA104944R1	YU XT5-XT6 220..240 Vac - 220..250 Vdc	YU XT5-XT6 220..240 Vac - 220..250 Vdc	1	piece
1SDA104945R1	YU XT5-XT6 380...440 Vac	YU XT5-XT6 380...440 Vac	1	piece
1SDA104947R1	YU-C XT5 W 12 Vdc	YU-C XT5 W 12 Vdc	1	piece
1SDA104948R1	YU-C XT5 W 24...30 Vac/dc	YU-C XT5 W 24...30 Vac/dc	1	piece
1SDA104949R1	YU-C XT5 W 48...60 Vac/dc	YU-C XT5 W 48...60 Vac/dc	1	piece
1SDA104950R1	YU-C XT5 W 110..127 Vac - 110..125 Vdc	YU-C XT5 W 110..127 Vac - 110..125 Vdc	1	piece
1SDA104951R1	YU-C XT5 W 220..240 Vac - 220..250 Vdc	YU-C XT5 W 220..240 Vac - 220..250 Vdc	1	piece
1SDA104952R1	YU-C XT5 W 380...440 Vac	YU-C XT5 W 380...440 Vac	1	piece
1SDA104954R1	YU-C XT5-XT6 F/P 12 Vdc	YU-C XT5-XT6 F/P 12 Vdc	1	piece
1SDA104955R1	YU-C XT5-XT6 F/P 24...30 Vac/dc	YU-C XT5-XT6 F/P 24...30 Vac/dc	1	piece
1SDA104956R1	YU-C XT5-XT6 F/P 48...60 Vac/dc	YU-C XT5-XT6 F/P 48...60 Vac/dc	1	piece
1SDA104957R1	YU-C XT5-XT6 F/P 110..127Vac-110..125Vdc	YU-C XT5-XT6 F/P 110..127Vac-110..125Vdc	1	piece
1SDA104958R1	YU-C XT5-XT6 F/P 220..240Vac-220..250Vdc	YU-C XT5-XT6 F/P 220..240Vac-220..250Vdc	1	piece
1SDA104959R1	YU-C XT5-XT6 F/P 380...440 Vac	YU-C XT5-XT6 F/P 380...440 Vac	1	piece
1SDA105098R1	PLL XT5 PADLOCKS DEVICE OP/CL	PLL XT5 PADLOCKS DEVICE OP/CL	1	piece
1SDA105099R1	PLL XT5 PADLOCKS DEVICE OPEN	PLL XT5 PADLOCKS DEVICE OPEN	1	piece
1SDA105100R1	PLL XT5 REM.PADLOCKS DEVICE OPEN	PLL XT5 REM.PADLOCKS DEVICE OPEN	1	piece
1SDA105092R1	MOL-D XT5-XT6 KE.LO. RONIS SEV.1228xMOE	MOL-D XT5-XT6 KE.LO. RONIS SEV.1228xMOE	1	piece
1SDA105093R1	MOL-M XT5-XT6 KEY LOCK RONIS SEV. x MOE	MOL-M XT5-XT6 KEY LOCK RONIS SEV. x MOE	1	piece
1SDA105094R1	MOL-S XT5-XT6 KE.LO. RONIS EQ.A 1228xMOE	MOL-S XT5-XT6 KE.LO. RONIS EQ.A 1228xMOE	1	piece

1SDA105095R1	MOL-S XT5-XT6 KE.LO. RONIS EQ.B 1228xMOE	MOL-S XT5-XT6 KE.LO. RONIS EQ.B 1228xMOE	1	piece
1SDA105096R1	MOL-S XT5-XT6 KE.LO. RONIS EQ.C 1228xMOE	MOL-S XT5-XT6 KE.LO. RONIS EQ.C 1228xMOE	1	piece
1SDA105097R1	MOL-S XT5-XT6 KE.LO. RONIS EQ.D 1228xMOE	MOL-S XT5-XT6 KE.LO. RONIS EQ.D 1228xMOE	1	piece
1SDA104706R1	KIT FP XT5 W <FP P	KIT FP XT5 W <FP P	1	piece
1SDA105199R1	EKIP Maintenance Module XT5 INT F/P	EKIP Maintenance Module XT5 INT F/P	1	piece
1SDA105200R1	EKIP Maintenance Module XT5 INT W	EKIP Maintenance Module XT5 INT W	1	piece
1SDA105207R1	Connection Kit 24Vdc/Internal Bus XT5 W	Connection Kit 24Vdc/Internal Bus XT5 W	1	piece
1SDA107391R1	Kit external neutral volt. conn XT5 F/P	Kit external neutral volt. conn XT5 F/P	1	piece
1SDA107393R1	Kit Ext NE C+V sensor XT5 Ekip Touch P/W	Kit Ext NE C+V sensor XT5 Ekip Touch P/W	1	piece
1SDA107394R1	Kit Ext NE C sensor XT5 Ekip Touch P/W	Kit Ext NE C sensor XT5 Ekip Touch P/W	1	piece
1SDA107395R1	Kit Ext NE V sensor XT5 Ekip Touch P/W	Kit Ext NE V sensor XT5 Ekip Touch P/W	1	piece
1SDA107396R1	Kit Ext NE sensor XT5 Ekip Dip P/W	Kit Ext NE sensor XT5 Ekip Dip P/W	1	piece
1SDA107397R1	Kit zone selectivity XT5 Ekip Touch P/W	Kit zone selectivity XT5 Ekip Touch P/W	1	piece
1SDA113125R1	Kit zone selectivity XT5 Ekip Touch F	Kit zone selectivity XT5 Ekip Touch F	1	piece
1SDA105148R1	Transparent cover for XT5 Ekip Dip	Transparent cover for XT5 Ekip Dip	1	piece
1SDA105161R1	EKIP COM HUB XT5 INT	EKIP COM HUB XT5 INT	1	piece
1SDA105185R1	EKIP COM ETHERNET/IP XT5 INT	EKIP COM ETHERNET/IP XT5 INT	1	piece
1SDA105186R1	EKIP COM IEC61850 XT5 INT	EKIP COM IEC61850 XT5 INT	1	piece
1SDA105187R1	EKIP COM MODBUS RS- 485 XT5 INT F/P	EKIP COM MODBUS RS- 485 XT5 INT F/P	1	piece
1SDA105188R1	EKIP COM MODBUS RS- 485 XT5 INT W	EKIP COM MODBUS RS- 485 XT5 INT W	1	piece
1SDA105189R1	EKIP COM MODBUS TCP XT5 INT	EKIP COM MODBUS TCP XT5 INT	1	piece
1SDA105192R1	EKIP COM PROFINET XT5 INT	EKIP COM PROFINET XT5 INT	1	piece
1SDA105193R1	EKIP COM STA MODBUS RS-485 XT5 INT F/P	EKIP COM STA MODBUS RS-485 XT5 INT F/P	1	piece
1SDA105194R1	EKIP COM STA MODBUS RS-485 XT5 INT W	EKIP COM STA MODBUS RS-485 XT5 INT W	1	piece
1SDA105195R1	EKIP COM STA MODBUS TCP XT5 INT F/P	EKIP COM STA MODBUS TCP XT5 INT F/P	1	piece
1SDA105196R1	EKIP COM STA MODBUS TCP XT5 INT W	EKIP COM STA MODBUS TCP XT5 INT W	1	piece
1SDA105198R1	EKIP LINK XT5 INT	EKIP LINK XT5 INT	1	piece

Categories

Products > Low Voltage Products and Systems > Circuit Breakers > Moulded Case Circuit Breakers > Tmax XT

